



Plain-Woven, 600-Denier Kevlar KM2 Fabric Under Quasistatic, Uniaxial Tension

**by Martin N. Raftenberg, Mike Scheidler,
Thomas J. Moynihan, and Charles A. Smith**

ARL-TR-3437

March 2005

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.

Army Research Laboratory

Aberdeen Proving Ground, MD 21005-5066

ARL-TR-3437

March 2005

Plain-Woven, 600-Denier Kevlar KM2 Fabric Under Quasistatic, Uniaxial Tension

**Martin N. Raftenberg, Mike Scheidler,
Thomas J. Moynihan, and Charles A. Smith
Weapons and Materials Research Directorate, ARL**

REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188		
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) March 2005		2. REPORT TYPE Final		3. DATES COVERED (From - To) April 2003–August 2004	
4. TITLE AND SUBTITLE Plain-Woven, 600-Denier Kevlar KM2 Fabric Under Quasistatic, Uniaxial Tension			5a. CONTRACT NUMBER		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Martin N. Raftenberg, Mike Scheidler, Thomas J. Moynihan, and Charles A. Smith			5d. PROJECT NUMBER 1L162618AH80		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U. S. Army Research Laboratory ATTN: AMSRD-ARL-WM-TD Aberdeen Proving Ground, MD 21005-5066			8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TR-3437		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT We analyzed data from quasistatic, uniaxial tension tests on single-ply specimens of plain-woven, 600-denier KM2. Failure strains were found to range from 0.120 to 0.144 for warp-loaded and from 0.143 to 0.160 for fill-loaded tests. Failure stresses (strengths) ranged from 0.424 to 0.543 GPa for warp-loaded and from 0.593 to 0.642 GPa for fill-loaded tests. A least-squares fit, in the form of a rational function, was obtained to the second Piola-Kirchhoff stress vs. Green-St. Venant strain data for a representative warp-direction and a representative fill-direction test. In addition, averaged least-square fits to all the warp data and to data from four out of five fill tests were obtained, also in the form of a rational function. These fits are intended to inform constitutive modeling in numerical simulations.					
15. SUBJECT TERMS Kevlar KM2, body armor, personal protection, constitutive model, Instron test					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UL	18. NUMBER OF PAGES 32	19a. NAME OF RESPONSIBLE PERSON Martin N. Raftenberg
a. REPORT UNCLASSIFIED	b. ABSTRACT UNCLASSIFIED	c. THIS PAGE UNCLASSIFIED			19b. TELEPHONE NUMBER (Include area code) 410-306-0949

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

Contents

List of Figures	iv
List of Tables	iv
1. Introduction	1
2. Results	1
2.1 Calculation of Stress and Strain	1
2.2 Least-Square Fits to Stress-Strain Curves	5
2.2.1 Warp Direction	7
2.2.2 Fill Direction	9
3. Discussion	12
4. Summary	13
List of Symbols, Abbreviations, and Acronyms	14
Distribution List	15

List of Figures

Figure 1. Force-displacement data for a ply under quasistatic, uniaxial tension along the warp direction.	2
Figure 2. Force-displacement data for a ply under quasistatic, uniaxial tension along the fill direction.	2
Figure 3. Sketch of the plain-weave construction of the vest.	3
Figure 4. Second Piola-Kirchhoff stress vs. Green-St. Venant strain for a ply under quasistatic, uniaxial tension along the warp direction.	6
Figure 5. Second Piola-Kirchhoff stress vs. Green-St. Venant strain for a ply under quasistatic, uniaxial tension along the fill direction.	6
Figure 6. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3.	8
Figure 7. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 in the small strain range.	8
Figure 8. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 and from the averaged tests W1 through W5.	9
Figure 9. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 and from the averaged tests W1 through W5 in the small-strain range.	9
Figure 10. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test F2.	10
Figure 11. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test F2 in the small-strain range.	10
Figure 12. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from tests F1, F2, F4, and F5 and from test F2.	11
Figure 13. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from tests F1, F2, F4, and F5 and from test F2 in the small-strain range.	11

List of Tables

Table 1. Failure strain and failure stress (strength) from each test.	7
Table 2. Least-squares fit parameters.	7

1. Introduction

We performed quasistatic, uniaxial tension tests on single-ply specimens of plain-woven, 600-denier, Kevlar KM2. Each specimen contained 33 yarns, for a width of 24.7 mm.

The tests were performed with an Instron machine. The specimen was clamped at each end by a vice. The initial separation of the two vices was 50.8 mm. This constitutes the gauge length, L_0 , of the test. The speed of vice separation was held constant at 2.12 mm/s. A load cell was used to measure the force F applied to the specimen corresponding to each imposed vice separation, Δ .

In five tests, W1 through W5, the specimen's largest dimension was aligned with its warp yarns, and the specimen was pulled along its warp yarns. In the other five tests, F1 through F5, the long dimension was aligned with the fill yarns, and the specimen was pulled along its fill yarns. Data for F vs. Δ are plotted in figure 1 for the warp series and in figure 2 for the fill series.

The remainder of this report deals with processing of the data in figures 1 and 2. In section 2.1, the Green-St. Venant strain tensor and the second Piola-Kirchhoff stress tensor are evaluated. These evaluations require the introduction of constitutive and kinematic assumptions. Values for failure strain and failure stress are presented for each test. In section 2.2, a least-squares fit in the form of a ratio of polynomials (rational function) is presented for a stress-strain curve from a representative warp test, a representative fill test, the combined data from all warp tests, and the combined data from all fill tests, minus one outlier. These analytical fits are intended to inform constitutive modeling for numerical simulations. Section 3 discusses the failure strain and failure stress results in the context of data from plain-woven, 600-denier, Kevlar KM2 that appeared in Mulkern and Raftenberg¹ and Raftenberg and Mulkern.²

2. Results

2.1 Calculation of Stress and Strain

Each single-ply specimen consisted of two families of yarns, warp, and fill (weft). These families were initially mutually orthogonal and are assumed to have remained mutually orthogonal throughout the tension test. In-plane material coordinates X_1 and X_2 are defined in figure 3 as aligned with the two families of yarns. The tensile loading is applied along X_1 .

¹ Mulkern, T. J.; Raftenberg, M. N. *Kevlar KM2 Yarn and Fabric Strength Under QuasiStatic Tension*; ARL-TR-2865; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, October 2002.

² Raftenberg, M. N.; Mulkern, T. J. *QuasiStatic Uniaxial Tension Characteristics of Plain-Woven Kevlar KM2 Fabric*; ARL-TR-2891; U.S. Army Research Laboratory: Aberdeen Proving Ground, MD, December 2002.




Figure 1. Force-displacement data for a ply under quasistatic, uniaxial tension along the warp direction.




Figure 2. Force-displacement data for a ply under quasistatic, uniaxial tension along the fill direction.




Figure 3. Sketch of the plain-weave construction of the vest.

Hence, in tests W1–W5, X_1 is identified with the warp direction and X_2 with the fill. In tests F1–F5, this identification is reversed. Material coordinate X_3 is orthogonal to both X_1 and X_2 . The vest, consisting of 28 plies of plain-woven, 600-denier Kevlar KM2 enclosed in a Cordura case, is envisioned as a homogeneous, orthotropic continuum. Its axes of material symmetry coincide with X_1 , X_2 , and X_3 .

In the remainder of section 2.1, the notation is adopted from Malvern,³ where discussion of the following definitions can be found. The first Piola-Kirchhoff stress tensor \mathbf{T}^0 throughout the duration of each uniaxial tension test was

$$\mathbf{T}^0(t) = \frac{F(t)}{A_0} \begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix}. \quad (1)$$

Here, A_0 is the undeformed cross-sectional area of the single-ply specimen. The specimen's undeformed width was 33 yarn diameters, or 24.7 mm. The undeformed thickness of the entire 28-ply vest was measured with a micrometer to be 6.35 mm. The thickness attributed to a single ply is therefore (neglecting the contribution from the Cordura case) 0.227 mm. Hence, A_0 is assigned the value of 5.61 (mm)^2 .

³ Malvern, L. E. *Introduction to the Mechanics of a Continuous Medium*. Prentice-Hall: Englewood Cliffs, NJ, 1969.

The second Piola-Kirchhoff stress tensor, \mathbf{S} , is defined by

$$\mathbf{S} = \mathbf{T}^0 \cdot \mathbf{F}^{-T} , \quad (2)$$

where the deformation gradient tensor, \mathbf{F} , is defined by

$$\mathbf{F} = \frac{\partial \mathbf{x}}{\partial \mathbf{X}} . \quad (3)$$

\mathbf{F} at time t describes the instantaneous mapping from material coordinates \mathbf{X} to laboratory coordinates \mathbf{x} . At time $t = 0$, X_1 , X_2 , and X_3 are coaligned with laboratory coordinates x_1 , x_2 , and x_3 , respectively. The Green-St. Venant (Lagrangian) strain tensor, \mathbf{E} , is defined in terms of \mathbf{F} by

$$\mathbf{E} = \frac{1}{2} (\mathbf{F}^T \cdot \mathbf{F} - \mathbf{I}) , \quad (4)$$

where \mathbf{I} is the identity tensor.

We introduce the constitutive assumption of component decoupling, so that

$$\begin{aligned} S_{11} &= \phi_{11}(E_{11}), \\ S_{22} &= \phi_{22}(E_{22}), \\ S_{33} &= \phi_{33}(E_{33}), \\ S_{12} &= \phi_{12}(E_{12}), \\ S_{23} &= \phi_{23}(E_{23}), \\ S_{31} &= \phi_{31}(E_{31}). \end{aligned} \quad (5)$$

That is, the S_{11} component of second Piola-Kirchhoff stress is a function only of E_{11} , and similarly for the other components. This constitutive assumption makes plausible the kinematic assumption that a condition of uniaxial strain was maintained throughout the test. That is, motion of each material point is assumed to be describable throughout the test by

$$\begin{aligned} x_1(X_1, t) &= X_1 \left[1 + \frac{\Delta(t)}{L_0} \right], \\ x_2 &\equiv X_2, \\ x_3 &\equiv X_3. \end{aligned} \quad (6)$$

Corresponding to equation 6, equation 3 yields

$$\mathbf{F}(t) = \begin{bmatrix} F_{11}(t) & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} , \quad (7)$$

where

$$F_{11}(t) = 1 + \frac{\Delta(t)}{L_0} . \quad (8)$$

The Green-St. Venant strain is then determined from equation 4 to be

$$\mathbf{E}(t) = \begin{bmatrix} E_{11}(t) & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} , \quad (9)$$

where

$$E_{11}(t) = \frac{\Delta(t)}{L_0} + \frac{1}{2} \left[\frac{\Delta(t)}{L_0} \right]^2 . \quad (10)$$

The second Piola-Kirchhoff stress is determined from equation 2 to be

$$\mathbf{S}(t) = \begin{bmatrix} S_{11}(t) & 0 & 0 \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{bmatrix} , \quad (11)$$

where

$$S_{11}(t) = \frac{F(t)}{A_0 \left[1 + \frac{\Delta(t)}{L_0} \right]} . \quad (12)$$

Equations 10 and 12 are used to convert the force-displacement curves of figures 1 and 2 into the stress-strain curves of figures 4 and 5. Also, the displacement and force at the time of specimen rupture are converted to failure strain, E_{11}^{fail} , and failure stress (strength), S_{11}^{fail} , by means of equations 10 and 12, respectively. The results are listed in table 1. In this table, and throughout the remainder of this report, the “11” subscript has been dropped from the notation. The scalars S and E denote the component of the second Piola-Kirchhoff stress and the Lagrangian strain, respectively, along the direction of applied tensile loading, and S^{fail} and E^{fail} denote the values corresponding to material failure.

2.2 Least-Square Fits to Stress-Strain Curves

The stress-strain curves in figures 4 and 5 were each fitted with the rational function

$$S(E) = \frac{aE + bE^2 + cE^3 + dE^4}{1 + eE + fE^2} ; 0 \leq E \leq E^{\text{fail}} . \quad (13)$$




Figure 4. Second Piola-Kirchhoff stress vs. Green-St. Venant strain for a ply under quasistatic, uniaxial tension along the warp direction.




Figure 5. Second Piola-Kirchhoff stress vs. Green-St. Venant strain for a ply under quasistatic, uniaxial tension along the fill direction.

Table 1. Failure strain and failure stress (strength) from each test.

Test	E^{fail}	S^{fail} (GPa)
W1	0.122633	0.542566
W2	0.144261	0.516930
W3	0.132930	0.520462
W4	0.128275	0.514715
W5	0.119819	0.424321
F1	0.145151	0.642427
F2	0.149961	0.631463
F3	0.160437	0.592621
F4	0.143361	0.605060
F5	0.146129	0.596035

Coefficients a , b , c , d , e , and f were evaluated by a nonlinear least squares error procedure. *Mathematica* software⁴ was employed. The resulting fits are presented in table 2 and in figures 6–13. For each of these four fits, the two poles in equation 13 occur at complex values of E , so the rational function properly remains bounded.

Table 2. Least-squares fit parameters.

Coefficients	W3	W1–5	F2	F1,2,4,5
a (GPa)	1.35322	1.65620	1.79587	0.872878
b (GPa)	−98.8705	−128.102	−204.612	−57.6990
c (GPa)	2727.95	3881.13	14539.8	7214.87
d (GPa)	−4898.41	−10674.6	−33428.5	−14475.3
e	−22.0527	−15.6910	−34.3400	−28.6378
f	465.297	476.711	2137.94	1266.84
E^{fail}	0.132930	0.129584	0.149961	0.146151

2.2.1 Warp Direction

In figure 4, the stress-strain data from the five warp-direction tests display some variation from test to test. Test W3 was deemed to be representative of the other four and it was fitted in table 2 and figure 6. The W3 fit is seen to closely follow the data overall, although there is some curvature deviation in the region of small strain (see figure 7). Figures 8 and 9 re-present the figure 4 data from all five warp tests over the entire strain range and a small-strain range, respectively. The “W3” fit of data from test W3 alone has been reproduced from figures 6 and 7. To this has been added a fit, labeled “W1–5,” to all data from the five warp tests. The coefficients to this second fit are added to table 2. In the table, E^{fail} for fit “W1–5” has been averaged over the five tests. Figure 9 shows that this averaged fit, while generally following the data closely, also displays some curvature deviation at small strain. For strains of about 0.2, the fit W1–5 lies at the edge of the experimental data, whereas fit W3 lies slightly below the data.

⁴ Wolfram, S. *The Mathematica Book*; 4th ed.; Cambridge University Press: Cambridge, UK, 1999.




Figure 6. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3.




Figure 7. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 in the small strain range.




Figure 8. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 and from the averaged tests W1 through W5.




Figure 9. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test W3 and from the averaged tests W1 through W5 in the small-strain range.

2.2.2 Fill Direction

In figure 5 the stress-strain data from the five fill-direction tests are presented. Test F2 was deemed to be representative and it was fitted in table 2 and figures 10 and 11 for the entire strain

range and the small-strain range, respectively. The F2 fit is seen to closely follow the data overall, including in the region of small strain.




Figure 10. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test F2.




Figure 11. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from test F2 in the small-strain range.

In figure 12 data from four fill tests, namely F1, F2, F4, and F5, have been included in the single fit. The fifth test, F3, was rejected as an outlier based on its relatively large deviations from the other tests in figure 5. The coefficients are presented in table 2. In the table, E^{fail} for this averaged fit “F1,2,4,5” has been averaged over the four tests. Figure 13 shows that this averaged fit generally follows the data at small strain.




Figure 12. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from tests F1, F2, F4, and F5 and from test F2.




Figure 13. Least-squares fit for second Piola-Kirchhoff stress vs. Green-St. Venant strain from tests F1, F2, F4, and F5 and from test F2 in the small-strain range.

In figures 12 and 13, the averaged fit F1,2,4,5 and the F2 fit are seen to agree closely with each other. Both fits fall within the range of experimental stress data throughout the strain domain.

3. Discussion

Mulkern and Raftenberg¹ also presented strength data for single plies of plain-woven, 600-denier KM2. Those tests were performed with larger specimens, 50.8 mm in width and 254 mm in initial separation between the two clamps. Strength results in table 5 of Mulkern and Raftenberg range from 2.07 to 2.33 GPa for warp-loaded specimens and 2.47–2.77 GPa for fill-loaded specimens. Before comparing these numbers to those in our table 1, the former must be adjusted to account for the different evaluation of cross-sectional area A_0 that was applied in the earlier report. Since the main goal in Mulkern and Raftenberg was to compare the plain-woven single-ply strength to single-yarn strength, the effective thickness of the ply was evaluated based on the cross-sectional area occupied by the yarns. This resulted in an effective ply thickness of 0.0606 mm, substantially smaller than the 0.227 mm obtained in section 2.1 of the present report. The ratio of the two thicknesses is 3.75.

The strengths in table 5 of Mulkern and Raftenberg are divided by 3.75 to give strength ranges from 0.552 to 0.621 GPa for warp-loaded tests and from 0.659 to 0.739 GPa for fill-loaded tests. Our strength results in table 1 range from 0.424 to 0.543 GPa for warp-loaded and from 0.593 to 0.642 GPa for fill-loaded tests. Hence, our strength results in table 1 are consistently smaller than those reported in table 5 of Mulkern and Raftenberg. This discrepancy may reflect differences in the two sets of specimens. Alternatively, this discrepancy may reflect a systematic error in one set of experiments, e.g., slippage at a clamp.

Our failure strain results in table 1 can be compared with results in another report on plain-woven 600-denier KM2, Raftenberg and Mulkern.² Since the gauge length in Raftenberg and Mulkern was not determinable, no strains were reported. However, the crosshead displacements at failure, plotted in figure 13 of Raftenberg and Mulkern, clearly show larger values for the warp-loaded tests than for the fill-loaded tests. This trend was attributed to the presence of greater initial crimping in the warp than in the fill yarns. In contrast, our table 1 shows larger failure strains for the fill-oriented tests than for the warp-oriented tests. This trend in our table 1 is therefore inconsistent with that reported in Raftenberg and Mulkern. The explanation for this discrepancy is also unclear. Differences between the two sets of specimens or a systematic error in one set, such as slippage at a clamp, are two possible sources.

4. Summary

We analyzed data from quasistatic, uniaxial tension tests on single-ply specimens of plain-woven, 600-denier KM2. Failure strains were found to range from 0.120 to 0.144 for warp-loaded and from 0.143 to 0.160 for fill-loaded tests. Failure stresses (strengths) ranged from 0.424 to 0.543 GPa for warp-loaded and from 0.593 to 0.642 GPa for fill-loaded tests. A least-squares fit, in the form of a rational function, was obtained to the second Piola-Kirchhoff stress vs. Green-St. Venant strain data for a representative warp-direction and a representative fill-direction test. In addition, averaged least-square fits of all the warp data and of data from four out of five fill tests were obtained, also in the form of a rational function. These fits are intended to inform constitutive modeling in numerical simulations.

List of Symbols, Abbreviations, and Acronyms

A_o	initial cross-sectional area of the smaller platen
\mathbf{E}	Green-St. Venant (Lagrangian) strain tensor
E_{ij}	component ij of \mathbf{E}
E_{11}, E	normal component of the Green-St. Venant (Lagrangian) strain along the load direction
$E_{11}^{\text{fail}}, E^{\text{fail}}$	the values of E_{11}, E corresponding to specimen rupture in the tension test
\mathbf{F}	deformation gradient tensor
F	tensile force applied to the fabric specimen
\mathbf{I}	identity tensor
L_0	specimen gauge length (initial separation between the two grips)
\mathbf{S}	second Piola-Kirchhoff stress tensor
S_{ij}	component ij of \mathbf{S}
S_{11}, S	normal component of the second Piola-Kirchhoff stress along the load direction
$S_{11}^{\text{fail}}, S^{\text{fail}}$	the values of S_{11}, S corresponding to specimen rupture in the tension test
\mathbf{T}^0	first Piola-Kirchhoff stress tensor
\mathbf{X}	material coordinate vector
X_1, X_2, X_3	material coordinates
a, b, c, d, e, f	coefficients in a fit to S vs. E
t	time
\mathbf{x}	spatial coordinate vector
x_1, x_2, x_3	spatial (laboratory) coordinates
Δ	relative displacement of the two grips
ϕ_{ij}	constitutive function relating S_{ij} to E_{ij}

NO. OF
COPIES ORGANIZATION

1 DEFENSE TECHNICAL
(PDF INFORMATION CTR
ONLY) DTIC OCA
8725 JOHN J KINGMAN RD
STE 0944
FORT BELVOIR VA 22060-6218

1 US ARMY RSRCH DEV &
ENGRG CMD
SYSTEMS OF SYSTEMS
INTEGRATION
AMSRD SS T
6000 6TH ST STE 100
FORT BELVOIR VA 22060-5608

1 INST FOR ADVNCD TCHNLGY
THE UNIV OF TEXAS
AT AUSTIN
3925 W BRAKER LN STE 400
AUSTIN TX 78759-5316

1 US MILITARY ACADEMY
MATH SCI CTR EXCELLENCE
MADN MATH
THAYER HALL
WEST POINT NY 10996-1786

1 DIRECTOR
US ARMY RESEARCH LAB
IMNE ALC IMS
2800 POWDER MILL RD
ADELPHI MD 20783-1197

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CI OK TL
2800 POWDER MILL RD
ADELPHI MD 20783-1197

3 DIRECTOR
US ARMY RESEARCH LAB
AMSRD ARL CS IS T
2800 POWDER MILL RD
ADELPHI MD 20783-1197

NO. OF
COPIES ORGANIZATION

ABERDEEN PROVING GROUND

1 DIR USARL
AMSRD ARL CI OK TP (BLDG 4600)

NO. OF
COPIES ORGANIZATION

10 DIR ARO
A RAJENDRAN
A CROWSON
B LAMATTINA
D KISEROW
D STEPP
H EVERETT
J PRATER
G ANDERSON
J CHANG
TECH LIB
PO BOX 12211
RTP NC 27709-2211

14 US ARMY NATICK SOLDIER CTR
R KINNEY
J WARD
P CUNNIFF
M MAFFEO
J SONG
S WACLAWIK
J F MACKIEWICZ
J ZHENG
W ZUKAS
W HASKELL
W NYKVIST
S BEAUDOIN
L PISCITELLE
W ZUKAS
15 KANSAS ST
NATICK MA 01760

2 WALTER REED ARMY HOSPITAL
PULMONARY MEDICINE
COL M MAYORGA
LTC J PARKER
6900 GEORGIA AVE
WASHINGTON DC 20307-5001

1 US ARMY MEDICAL RSRCH
AND MATERIEL COMMAND
MILITARY OPERATIONAL
MEDICINE RESEARCH PROG
LTC K FRIEDL
FORT DETRICK MD 21702-5012

2 PM SOLDIER SYS
W BROWER
S PINTER
10125 KINGMAN RD
FT BELVOIR VA 22060-5820

NO. OF
COPIES ORGANIZATION

1 US ARMY COLD REGIONS
RSCH & ENGRNG LAB
P DUTTA
72 LYME RD
HANOVER NH 03755

1 USA SBCCOM PM SOLDIER SPT
AMSSB PM RSS A
J CONNORS
KANSAS ST
NATICK MA 01760-5057

2 USA SBCCOM
MATERIAL SCIENCE TEAM
AMSSB RSS
J HERBERT
M SENNETT
KANSAS ST
NATICK MA 01760-5057

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL CP CA
D SNIDER
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL SS SD
H WALLACE
2800 POWDER MILL RD
ADELPHI MD 20783-1197

2 DIRECTOR
US ARMY RESEARCH LAB
AMSRL SS SE DS
R REYZER
R ATKINSON
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 DIRECTOR
US ARMY RESEARCH LAB
AMSRL WM MB
A FRYDMAN
2800 POWDER MILL RD
ADELPHI MD 20783-1197

1 COMMANDER
US ARMY MATERIEL CMD
AMXMI INT
5001 EISENHOWER AVE
ALEXANDRIA VA 22333-0001

NO. OF
COPIES ORGANIZATION

1 TACOM ARDEC
M MINISI
AMSTA AR CCL B
PICATINNY ARSENAL NJ 07806

3 COMMANDER
US ARMY ARDEC
AMSTA AR CC
M PADGETT
J HEDDERICH
H OPAT
PICATINNY ARSENAL NJ
07806-5000

2 COMMANDER
US ARMY ARDEC
AMSTA AR AE WW
E BAKER
J PEARSON
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR FSE
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR TD
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR CCH P
J LUTZ
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR FSF T
C LIVECCHIA
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR QAC T C
J PAGE
PICATINNY ARSENAL NJ
07806-5000

NO. OF
COPIES ORGANIZATION

13 COMMANDER
US ARMY ARDEC
AMSTA AR CCH A
F ALTAMURA
M NICOLICH
M PALATHINGUL
D VO
R HOWELL
A VELLA
M YOUNG
L MANOLE
S MUSALLI
R CARR
M LUCIANO
E LOGSDEN
T LOUZEIRO
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA ASF
PICATINNY ARSENAL NJ
07806-5000

1 COMMANDER
US ARMY ARDEC
AMSTA AR M
D DEMELLA
PICATINNY ARSENAL NJ
07806-5000

3 COMMANDER
US ARMY ARDEC
AMSTA AR FSA
A WARNASH
B MACHAK
M CHIEFA
PICATINNY ARSENAL NJ
07806-5000

2 COMMANDER
US ARMY ARDEC
AMSTA AR FSP G
M SCHIKSNIS
D CARLUCCI
PICATINNY ARSENAL NJ
07806-5000

1 PM ARMS
SFAE GCSS ARMS
BLDG 171
PICATINNY ARSENAL NJ
07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
2	COMMANDER US ARMY ARDEC AMSTA AR CCH C H CHANIN S CHICO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR QAC T D RIGOGLIOSO PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR WET T SACHAR BLDG 172 PICATINNY ARSENAL NJ 07806-5000
1	US ARMY ARDEC INTELLIGENCE SPECIALIST AMSTA AR WEL F M GUERRIERE PICATINNY ARSENAL NJ 07806-5000
10	COMMANDER US ARMY ARDEC AMSTA AR CCH B P DONADIA F DONLON P VALENTI C KNUTSON G EUSTICE K HENRY J MCNABOC G WAGNECZ R SAYER F CHANG PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC AMSTA AR WEA J BRESCIA PICATINNY ARSENAL NJ 07806-5000

<u>NO. OF COPIES</u>	<u>ORGANIZATION</u>
6	COMMANDER US ARMY ARDEC AMSTA AR CCL F PUZYCKI R MCHUGH D CONWAY E JAROSZEWSKI R SCHLENNER M CLUNE PICATINNY ARSENAL NJ 07806-5000
1	PM MAS SFAE AMO MAS PICATINNY ARSENAL NJ 07806-5000
1	PM MAS SFAE AMO MAS CHIEF ENGINEER PICATINNY ARSENAL NJ 07806-5000
1	PM MAS SFAE AMO MAS PS PICATINNY ARSENAL NJ 07806-5000
2	PM MAS SFAE AMO MAS LC PICATINNY ARSENAL NJ 07806-5000
2	PM MAS SFAE AMO MAS MC PICATINNY ARSENAL NJ 07806-5000
1	COMMANDER US ARMY ARDEC PRODUCTION BASE MODERN ACTY AMSMC PBM K PICATINNY ARSENAL NJ 07806-5000
2	PM MAS SFAE AMO MAS SMC PICATINNY ARSENAL NJ 07806-5000

NO. OF
COPIES ORGANIZATION

1 COMMANDER
US ARMY TACOM
PM COMBAT SYSTEMS
SFAE GCS CS
6501 ELEVEN MILE RD
WARREN MI 48397-5000

1 COMMANDER
US ARMY TACOM
AMSTA SF
WARREN MI 48397-5000

3 NAVAL RSRCH LAB
MULTIFUNCTIONAL MAT BR
CODE 6350
R EVERETT
P MATIC
C SIMMONDS
WASHINGTON DC 20375

2 NAVAL SURFACE WARFARE CTR
DAHLGREN DIV CODE G06
TECH LIBRARY CODE 323
17320 DAHLGREN RD
DAHLGREN VA 22448

1 NAVAL SURFACE WARFARE CTR
CRANE DIVISION
M JOHNSON CODE 20H4
LOUISVILLE KY 40214-5245

2 NAVAL SURFACE WARFARE CTR
U SORATHIA
C WILLIAMS CD 6551
9500 MACARTHUR BLVD
WEST BETHESDA MD 20817

2 COMMANDER
NAVAL SURFACE WARFARE CTR
CARDEROCK DIVISION
R PETERSON CODE 2020
M CRITCHFIELD CODE 1730
BETHESDA MD 20084

1 AFRL MLSS
R THOMSON
2179 12TH ST RM 122
WRIGHT PATTERSON AFB OH
45433-7718

NO. OF
COPIES ORGANIZATION

8 NAVAL SURFACE WARFARE CTR
J FRANCIS CODE G30
D WILSON CODE G32
R D COOPER CODE G32
J FRAYSSE CODE G33
E ROWE CODE G33
T DURAN CODE G33
L DE SIMONE CODE G33
R HUBBARD CODE G33
DAHLGREN VA 22448

1 NAVAL SURFACE WARFARE CTR
CARDEROCK DIVISION
R CRANE CODE 2802
3A LEGGETT CIR
BETHESDA MD 20054-5000

2 AFRL
F ABRAMS
J BROWN
BLDG 653
2977 P ST STE 6
WRIGHT PATTERSON AFB OH
45433-7739

1 NATIONAL INST OF JUSTICE
S NEWETT
810 SEVENTH ST NW
WASHINGTON DC 20531

4 UNIV OF VA
IMPACT BIOMECHANICS LAB
J CRANDALL
D BASS
R SALZAR
W PILKEY
1011 LINDEN AVE
CHARLOTTESVILLE VA 22902

1 ARMED FORCES INSTITUTE OF
PATHOLOGY
ORTHOPAEDICS
CAPT M DE MAIO
6825 16TH ST NW
WASHINGTON DC 20306-6000

1 USAARL
B J MCENTIRE
BLDG 6901
PO BOX 620577
FORT RUCKER AL 36362-0577

NO. OF
COPIES ORGANIZATION

3 ARMY HIGH PERFORMANCE
COMPUTING CENTER
T J HOLMQUIST
G R JOHNSON
S BEISSEL
1200 WASHINGTON AVE SOUTH
MINNEAPOLIS MN 55415

1 NATIONAL INST OF JUSTICE
OFFICE OF LAW ENFCMNT
K HIGGINS
BLDG 225 RM A323
GAITHERSBURG MD 20899

1 NIST
OLES
K D RICE
GAITHERSBURG MD 20899

2 HONEYWELL INTL
L WAGNER
A BHATNAGAR
15801 WOODS EDGE RD
COLONIAL HEIGHTS VA 23834

4 SIMULA
J COLTMAN
R HUYETT
J MEARS
R MONKS
10016 S 51ST ST
PHOENIX AZ 85044

4 WAYNE STATE UNIV
BIOENGINEERING CTR
A KING
K H YANG
M WILHELM
C BIR
818 W HANCOCK
DETROIT MI 48202

3 DARPA/DSO
S G WAX
S VANFOSSSEN
L CHRISTODOULOU
3701 NORTH FAIRFAX DR
ARLINGTON VA 22203-1714

1 VIRGINIA POLYTECH INST
IMPACT BIOMECHANICS LAB
MECHANICAL ENGINEERING
S M DUMA
BLACKSBURG VA 24061

NO. OF
COPIES ORGANIZATION

3 OFC OF NAVAL RSRCH
K PRUSACYK
D SIEGEL CODE 351
J KELLY
800 N QUINCY ST
ARLINGTON VA 22217-5660

1 UNIVERSITY OF ALABAMA
ENGINEERING MECHANICS
S E JONES
PO BOX 870278
TUSCALOOSA AL 34587-0278

2 NORTHWESTERN UNIV
MECHANICAL ENGRNG
W K LIU
C BRINSON
EVANSTON IL 60208

1 NORTHWESTERN UNIVERSITY
CIVIL ENGRNG
T BELYTSCHKO
EVANSTON IL 60208

1 UNIV OF MISSOURI ROLLA
CIVIL ENGINEERING DEPT
W SCHONBERG
ROLLA MO 65409-0030

5 UNIV OF DELAWARE
CTR FOR COMPOSITE MTRLS
J GILLESPIE
B GAMA
M SANTARE
D HEIDER
N J WAGNER
201 SPENCER LABORATORY
NEWARK DE 19716

3 JHU
MECH ENG
K T RAMESH
J F MOLINARI
A DOUGLAS
LATROBE HALL
3400 N CHARLES ST
BALTIMORE MD 21218

1 MIT
MTRLS SCI AND ENG DEPT
D ROYLANCE
CAMBRIDGE MA 02139

NO. OF
COPIES ORGANIZATION

3 MIT
MECHANICAL ENG DEPT
M BOYCE
S SOCRATE
I HUNTER
CAMBRIDGE MA 02139

1 MIT
CHEMISTRY DEPT
T SWAGER
77 MASSACHUSETTS AVE
CAMBRIDGE MA 02139-4307

3 SRI INTERNATIONAL
D A SHOCKEY
D C ERLICH
J W SIMONS
333 RAVENSWOOD AVE
MENLO PARK CA 94025-3493

2 UC SAN DIEGO
MECH AEROSPACE ENGRNG
S NEMAT NASSER
M A MEYERS
9500 GILMAN DR
LA JOLLA CA 92093

1 N C STATE UNIV
DEPT MECH AND AEROSPACE
ENGINEERING
M ZIKRY
BOX 7910
RALEIGH NC 27695-7910

1 UNIV OF ARIZONA
MECHANICAL ENGRNG
W CHEN
PO BOX 210119
TUCSON AZ 85721

1 UNIV OF CINCINNATI
COLLEGE OF ENGRNG
A TABIEI
787 RHODES HALL
PO BOX 210070
CINCINNATI OH 45221-0070

1 CALIFORNIA INST OF TECH
AERONAUTICS AND APPLIED
MECHANICS
M ORTIZ
PASADENA CA 91125

NO. OF
COPIES ORGANIZATION

3 U C BERKELEY
MECHANICAL ENGR DEPT
D STEIGMANN
P PAPADOPOULOS
B NADLER
6133 ETCHVERRY
BERKELEY CA 94720

2 UNIVERSITY OF ROCHESTER
MECHANICAL ENGR DEPT
D J QUESNEL
A L LERNER
ROCHESTER NY 14627-0132

4 FOSTER-MILLER
K KASTURI
W KONG
M ROYLANCE
J TING
350 SECOND AVE
WALTHAM MA 02451

1 DYNA EAST CORP
W FLIS
3620 HORIZON DR
KING OF PRUSSIA PA
19406-2647

2 SOUTHWEST RSRCH INST
ENGR AND MAT SCI DIV
C E ANDERSON
J WALKER
6220 CULEBRA RD
PO DRAWER 28510
SAN ANTONIO TX 78228-0510

2 UNIV OF TEXAS AT AUSTIN
INSTITUTE FOR ADV TECH
S BLESS
S SATAPATHY
4030 2 W BRAKER LN
AUSTIN TX 78759

1 LIVERMORE SOFTWARE TECH
CORP
J O HALLQUIST
2876 WAVERLY WY
LIVERMORE CA 94550-1740

1 PURDUE UNIV
AERO & ASTRO
C T SUN
W LAFAYETTE IN 47907-1282

NO. OF
COPIES ORGANIZATION

1 APPLIED RSRCH ASSOCIATES
L A BROWN
1848 LOCKHILL SELMA RD
SUITE 102
SAN ANTONIO TX 78213

1 JAYCOR CORP
J STUHMILLER
9775 TOWNE CENTRE DR
SAN DIEGO CA 92121

1 DOMINCA
N WINFREE
12111 RANCHITOS RD NE
ALBUQUERQUE NM 87122

1 NAVAL POSTGRADUATE
SCHL
MECH ENG
Y KWON
700 DYER RD BLDG 245
MONTEREY CA 93943-5146

1 APPLIED RSRCH ASSOCIATES
D E GRADY
SUITE A 220
4300 SAN MATEO BLVD NE
ALBUQUERQUE NM 87110

5 T J MOYNIHAN
MINING SAFETY APPLIANCES CO
P O BOX 439
PITTSBURGH PA 15230-0439

3 DUPONT SPRUANCE PLANT
H H YANG
5401 JEFFERSON DAVIS HWY
RICHMOND VA 23234

1 UNIV OF MASSACHUSETTS
S B WARNER
TEXTILE SCIENCES
NORTH DARTMOUTH MA 02747

1 CORNELL UNIV
S L PHOENIX
THEORET APPLIED MECHANICS
321 THURSTON HALL
ITHACA NY 14853

1 INTERNATIONAL RESEARCH ASSOC
D L ORPHAL
4450 BLACK AVE STE E
PLEASANTON CA 94566

NO. OF
COPIES ORGANIZATION

3 MICHIGAN STATE UNIV
W R YU
F POURBOGHRA
M ZAMPALONI
MECHANICAL ENGINEERING
EAST LANSING MI 48824

7 DIR LLNL
M J MURPHY
D LASSILLA
M FINGER
R CHRISTENSEN
S DETERESA
F MAGNESS
TECH LIB
PO BOX 808
LIVERMORE CA 94550

4 DIRECTOR
SANDIA NATIONAL LABS
M KIPP
E HERTEL
R BRANNON
TECH LIB
PO BOX 5800
ALBUQUERQUE NM
87185-5800

3 DIRECTOR
SANDIA NATIONAL LABS
APPLIED MECHANICS DEPT
MS 9042
J HANDROCK
Y R KAN
J LAUFFER
PO BOX 969
LIVERMORE CA 94551-0969

3 DIR LANL
D A MANDEL
G T GRAY
TECH LIB
PO BOX 166
LOS ALAMOS NM 87454

1 USA SPCL OPNS
SGM L KJELLSON
PO BOX 70660
FT BRAGG NC 28307-5000

NO. OF
COPIES ORGANIZATION

1 US ARMY NGIC
T SHAVER
2055 BOULDERS RD
CHARLOTTESVILLE VA
22911-8318

5 C SMITH
1312 MARQUIS CT
FALLSTON MD 21047

ABERDEEN PROVING GROUND

1 US ARMY MATERIEL
SYSTEMS ANALYSIS ACTIVITY
P DIETZ
392 HOPKINS RD
AMXSY TD
APG MD 21005-5071

1 US ARMY ATC
W C FRAZER
CSTE DTC AT AC I
400 COLLERAN RD
APG MD 21005-5059

101 DIR USARL
AMSRD ARL CI HC
R NAMBURU
C ZOLTANI
AMSRD ARL SL
R SAUCIER
D BELY
R HENRY
AMRSD ARL SL BE
E DAVIS
AMSRD ARL WM
J SMITH
AMSRD ARL WM BA
D LYON
AMSRD ARL WM BC
P PLOSTINS
J NEWILL
S WILKERSON
A ZIELINSKI
AMSRD ARL WM M
B FINK
M ADAMSON
T BOGETTI
B CHEESEMAN
C F YEN
P MOY
G GAZONAS
D HOPKINS
C HOPPEL

NO. OF
COPIES ORGANIZATION

J LASALVIA
R LIEB
S MCKNIGHT
B SCOTT
L BURTON
R DOOLEY
E RIGAS
E WETZEL
D SPAGNUOLO
W SPURGEON
J TZENG
J MONTGOMERY
J LASALVIA
J BEATTY
E CHIN
W ROY
S WALSH
J MCCAULEY
W DRYSDALE
P DEHMER
M BRATCHER
D DESCHEPPER
L GHIORSE
C PERGANTIS
B F HART
AMSRD ARL WM T
B BURNS
AMSRD ARL WM TA
W BRUCHEY
W GOOCH
T HAVEL
M ZOLTOSKI
E HORWATH
M BURKINS
T JONES
B RICKTER
M NORMANDIA
T HADUCH
N GNIAZDOWSKI
AMSRD ARL WM TB
P BAKER
R BITTING
L LOTTERO
AMSRD ARL WM TC
K KIMSEY
L MAGNESS
D SCHEFFLER
S SCHRAML
W WALTERS
R COATES
AMSRD ARL WM TD
M N RAFTENBERG (20 CPS)
E RAPACKI
T WEERISOORIYA

NO. OF COPIES	ORGANIZATION
	S SCHOENFELD
	S BILYK
	M SCHEIDLER (5 CPS)
	T BJERKE
	Y HUANG
	D CASEM
	J CLAYTON
	H MEYER

NO. OF
COPIES ORGANIZATION

1 TNO TPD
K SMORENBURG
P O BOX 155
2600 AD DELFT
THE NETHERLANDS

2 P ROUVET
J DA CUNHA
DGA/ETBS/SDT/EXT
BOURGES
FRANCE

1 P CHANTERET
INSTITUT SAINT-LOUIS
MULHOUSE
FRANCE

1 RAFAEL BALLISTICS CTR
M MAYSELESS
PO BOX 2250
HAIFA
ISRAEL

2 DSTL BIOMEDICAL SCIENCES
W TAM
G COOPER
PORTON DOWN
SALISBURY
WILTSHIRE SP4 0JQ
UNITED KINGDOM

2 UNIV OF WATERLOO
MECHANICAL ENGNRG
M J WORSWICK
D CRONIN
200 UNIVERSITY AVE
WEST WATERLOO
ONTARIO N2L3G1
CANADA

2 DLO R&P
P GOTTS
P M KELLY
SKIMMINGDISH LANE
CAVERSFIELD
BICESTER OXON
OX27 ATS
UNITED KINGDOM

1 TECHNION
MECHANICAL ENG DEPT
S BODNER
HAIFA 3200
ISRAEL

NO. OF
COPIES ORGANIZATION

5 CRANFIELD UNIV
ENGINEERING SYSTEMS DEPT
I HORSFALL
M J IREMONGER
C A COULDRICK
E LEWIS
C WATSON
SHRIVENHAM SWINDON
SN6 8LA
UNITED KINGDOM

3 TNO PML
J VAN BREE
T VERHAGEN
H HUISJES
P O BOX 45
2280 AA RIJSWIJK
THE NETHERLANDS

2 DREV
D BOURGET
A DUPUIS
S OUELLET
2459 BOULEVARD PIEXI NORD
VAL BELAIR
QUEBEC QC G37 IX5
CANADA

1 DYNEEMA
M VAN ES
P O BOX 6510
6401 JH HEERLEN
THE NETHERLANDS

1 ARL ERO
S SAMPATH
AERO MECH ENG
223 MARYLEBONE RD
LONDON NW1 5TH
UNITED KINGDOM

1 UNIV OF BRITISH COLUMBIA
METALS AND MATERIALS ENG
R VAZIRI
FRANK FORWARD BLDG
309 6350 STORES RD
VANCOUVER BC V6T 124
CANADA

1 DUPONT UK LTD
S REBOUILLAT
MAYDOWN RESEARCH CENTER
LONDONDERRY BT 47 ITU
UNITED KINGDOM

NO. OF
COPIES ORGANIZATION

6 NATIONAL UNIV SINGAPORE
V P W SHIM
C T LIM
K J FOO
S Y YONG
V B C TAN
T E TAY
MECHANICAL ENGINEERING
10 KENT RIDGE CRESCENT
SINGAPORE 119260
SINGAPORE

1 INSTITUTE CHEMICAL PHYSICS
S BAZHENOV
KOSYGIN STREET 4
117 977 MOSCOW
RUSSIA

1 UNIV POLITECNICA MADRID
B PARGA-LANDA
ARQUITECTURA CONSTRUC
ETSI NAVALES
28040 MADRID
SPAIN

1 UNIV POLITECNICA MADRID
F HERNANDEZ-OLIVARES
CONSTRUC TEC ARQUITEC
ETS ARQUITECTURA
AV JUAN DE HERRERA 4
28040 MADRID
SPAIN

1 TNO DEFENSE RESEARCH
R IJSSELSTEIN
PO BOX 6006
2600 J A DELFT
THE NETHERLANDS

1 AMC SCI & TECH CTR
EUROPE
T J MULKERN
POSTFACH 81
55247 MAINZ KASTEL
GERMANY

NO. OF
COPIES ORGANIZATION

1 LAB DE MECANIQUE PHYSIQUE
Q GRIMAL
LMP CNRS ESA 7052
UNIVERSITE DE PARIS 12
VAL DE MARNE
61 AVE DU GENERAL
DE GAULLE
94010 CRETEIL CEDEX
FRANCE

2 DSTO
WEAPONS SYSTEM DIVISION
J J WANG
N BURMAN
307 EPO
PO BOX 1500
SALISBURY SA 5108
AUSTRALIA

2 DSTO
AERONAUT MARINE RESEARCH
H H BILLON
D J ROBINSON
PO BOX 4331
MELBOURNE 3001
VICTORIA
AUSTRALIA

1 DSTL FORT HALSTEAD
P N JONES
SEVEN OAKS
KENT TN 147BP
UNITED KINGDOM

1 WILLIAM LEE INNOVATION CENTRE
UMIST
COLIN CORK
PO BOX 88
MANCHESTER
M60 10D
UNITED KINGDOM

1 UNIV OF WITWATERSRAND
B W SKEWS
MECHANICAL ENGINEERING
JOHANNESBURG
SOUTH AFRICA